


READ SAFETY INSTRUCTIONS BEFORE OPENING OR USING



Fosetyl 800 Fungicide

ACTIVE CONSTITUENT: 800 g/kg FOSETYL present as the aluminium salt

GROUP

33

FUNGICIDE

**For the Prevention and Control of Phytophthora Rots in
Ornamentals and Pythium in Turf**

**IMPORTANT: READ THE THIS LEAFLET BEFORE USING THIS
PRODUCT**

APVMA Approval No.: 69562/103756



Turf Culture Pty Ltd
ACN: 117 986 615
43 Gap Road
Sunbury VIC 3429
Ph: 1300 11 8872
(Ph: 1300 11 TURF)
www.turfculture.com.au

DIRECTIONS FOR USE

Restraint

DO NOT use an alternative to steam sterilisation of potting soils used in nurseries.

Crop	Disease	Rate	Critical Comments
Ornamentals	Crown and Root Rot (<i>Phytophthora spp.</i>)	90 g/100 L water (10 g per m ²)	Apply as a soil drench at intervals of 6 weeks. <u>Container grown plants:</u> Drench volume depends on size. For 150 mm container apply 200 mL.
Turf Golf and bowling greens and other intensely managed turf	<i>Pythium spp.</i>	12.5 kg/ha (125 g per 100 m ²)	Begin preventative applications when conditions first favour disease and continue as long as conditions are favourable for disease at approximately 21 day intervals. Apply as a foliar spray. DO NOT mow or water treated area until foliage is completely dry.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

GENERAL INSTRUCTIONS

Application: Turf Only

Apply in 500 to 2000 L of water per ha (5 to 20 L of water per 100 m²).

Mixing

Fill the spray tank to at least half the desired amount with clean water and commence agitation. Add the required quantity of Fosetyl 800 Fungicide directly to the water and complete filling to the final volume. Continue agitation. DO NOT make a slurry or paste prior to adding to the tank.

Compatibility

Fosetyl 800 Fungicide is compatible with a number of fungicides. If unsure, it is recommended that a jar test be conducted to determine compatibility. Always add Fosetyl 800 Fungicide to the mixture last. With any mixture, constantly agitate prior to and during application. It is not recommended to mix this product with more than one additional pesticide in the tank.

Note: Tank mixtures with other pesticides may result in some settling out. Mancozeb-based pesticides may be more prone to settling out.

DO NOT mix with:

- Foliar fertilisers
- Copper products (including fungicides containing copper)
- pH buffering agents (i.e. Primabuff, LI700 Surfactant)

As they are incompatible.

There is a risk of plant injury when mixed with copper products.

Always test mixtures on a small number of plants before large-scale use. As formulations of other manufacturers products are beyond the control of Turf Culture Pty Ltd, all mixtures should be tested prior to mixing commercial quantities.

Note on Ornamentals

Fosetyl 800 Fungicide has been used on a wide variety of ornamental plant species without damage. However, some species and varieties are particularly sensitive to chemical products. It is advisable to treat only a small number of plants first, in order to determine their reaction to the product, before large-scale use.

RESISTANCE WARNING

GROUP	33	FUNGICIDE
--------------	-----------	------------------

Fosetyl 800 Fungicide is a member of the multi-site activity group of fungicides. For fungicide resistance management the product is a Group 33 fungicide. Some naturally occurring individual fungi resistant to Fosetyl 800 Fungicide and other Group 33 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Fosetyl 800 Fungicide or other Group 33 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Turf Culture Pty Ltd accepts no liability for any losses that may result from the failure of Fosetyl 800 Fungicide to control resistant fungi.

PROTECTION OF LIVESTOCK

DO NOT graze treated turf/lawn or feed turf/lawn clippings from any treated area to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes and skin. Avoid inhaling dust or spray mist. Wash hands after use.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier or from the manufacturer's website: www.turfculture.com.au

CONDITIONS OF SALE

The use of Fosetyl 800 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Turf Culture Pty Ltd, regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Turf Culture Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport Emergency Dial 000 Police or Fire Brigade